



WPM

SC-03

COFFEE SCALE





Functions



Power Button

1. Tap lightly to turn on, press and hold for 2 seconds to turn off.
2. Tap lightly to tare, resetting to zero (when weighing).
3. Tap lightly twice to switch modes.



Timer Button

1. Tap lightly to start/stop the timer (in manual mode).
2. Tap lightly to start/stop the timer.
3. Press and hold for 2 seconds to clear the timer (in manual mode).
4. Tap lightly twice to convert units.



Sound Control

1. Press and hold both "TARE" and "TIMER" buttons to turn the beeping sound on or off.




0:00	Timer display
0.0	Weight display
0:00	Ratio of powder and water
	Power display
	Pour over mode
	in Espresso mode
	Espresso mode is on
	Auto mode is on
V	Water flow speed mode
Lo	Low Battery




Do not use fast chargers or high-power chargers.
Only use the original USB cable with a 5V, 1A-2A adapter for charging.

Manual mode



Tap "⌚" lightly to start/stop the timer. Press and hold for 2 seconds to reset the timer; the maximum duration is 99' 59".

Pour over mode




Double tap the "⏻" button to enter Auto mode; the "Ⓐ" icon will light up. Place the filter set on the scale and tap "TARE" to reset the weight. Add in coffee grounds and tap the "⌚" button; the "💧" icon will light up.

The timer will automatically start when you begin pouring water and will continue running even when you stop pouring. Once brewing is complete, remove the filter set from the scale, and the timer will automatically stop. The timer and weight will reset back to zero automatically within 5 seconds.


Espresso mode

Double tap “” until the “” icon lights up



1.Weight and lock-in coffee dose:

Place the measuring cup on the scale and tap “” to reset the weight. Add the desired coffee dose and tap “” to save the coffee weight. After the weight is successfully stored, the “” indicator will light up, and the display area will switch to show the coffee-to-water ratio.




2.Extract coffee with desired ratio

Place the coffee cup on the scale, and the weight will automatically reset to zero without any manual operation. You can swap the coffee cup at any time during this period, and it will automatically reset to zero.


Once water flow is detected, the indicator “” will start flashing. A “beep” sound indicates that the timer has started and will begin displaying the real-time coffee-to-water ratio.

Once water flow has stopped for 1 second, a “beep” sound indicates the end of the extraction.

After the process is completed, the display will cycle between "extraction time + coffee-to-water ratio," "coffee grounds weight," and "extracted coffee volume." This cycle will repeat 3 times before resetting to zero automatically.



Flow rate detection mode



Double tap the "⏻" button to enter Flow Rate mode until the "V" icon lights up. Place the brewing kit and coffee grounds on the scale and press "TARE" to reset. Once water flow is detected, the "V" icon will flash, and the timer will start. The water flow rate will be displayed. Once the water flow has stopped, the total volume of water added will be displayed. The timer will continue until the cup is removed. Note: Flow rate detection can only be activated once. To measure again, press the "⏻" button after activation.

Warning

- ❗ Do not put any hot objects over 55°C directly on the scale. Use a silicone mat.
- Please do not shake or incline the scale, as it will turn off automatically. Ensure the scale is on a hard, flat surface for accurate weighing.
- When overloaded, please remove the object immediately to avoid damaging the sensor.
- Do not weigh objects with the charging cable attached.
- Do not leave objects on the scale for extended periods.
- Please charge the scale once a month when not in use.
- Do not allow children under the age of 12 to use it.
- Do not submerge the scale in water.
- Store the product in a dry, non-corrosive environment.
- Please contact us if you encounter any problems.

Specifications

- Product size: 104.5x104.5x20mm
- Buttons: 2 touch buttons TARE/TIMER(each touch with beeping sound)
- Power: 3.7V rechargeable battery(500mAh)
- Weighing range: 0.3-2099g
- Division: d=0.1g
- High precision sensor
- LED screen
- Auto/Manual timer
- Auto power off within 3 seconds when low voltage icon indicate on screen: LO
- Display "EEEE" when the weight of object over 2100g.
- Auto on when weighing object over 20g.

